Popular Electronics[®]


WORLD'S LARGEST- SELLING ELECTRONICS MAGAZINE


MARCH 1978/\$1

How To Build a Digital Phototachometer A Practical Guide to Multitrack Tape Recording Microprocessor Microcourse, Part I

Test Reports: Sony PS-X5 Turntable,

JVC P-3030 Stereo Preamplifier, Dahlquist DQ-1W
Low-Bass Module, B&K 1820 Frequency Counter





MicroPROCESSOR MICROCOURSE

PART 1. NUMBER SYSTEMS

A series devoted to understanding and working with these omnipresent digital devices.

THE MICROPROCESSOR has ushered in a new era of electronics. Just as the transistor conquered the vacuum tube and the integrated circuit replaced a handful of transistors, the microprocessor can replace dozens or even a hundred or more IC's.

The conventional digital logic circuit is "hardwired" and its operation cannot be easily altered after it's built. The microprocessor, however, is functionally equivalent to the central processing unit of a digital computer. Add some memory, and the microprocessor can be programmed to function as a digital controller, calculator, computer, or a dedicated logic circuit. Merely replacing the instructions in the memory with new ones will completely change the role of the microprocessor.

Most electronics enthusiasts, from professionals to hobbyists, are aware of microprocessors and some of the things they can do. Computer hobbyists are particularly close to microprocessors since inexpensive hobby computers were first made possible by the Intel 8008 and 8080 microprocessors.

However, microprocessors are so new and different that many of those who are interested in electronics have not yet become familiar with their basic operating principle, much less their programming requirements. The POPULAR ELECTRONICS "Microprocessor Microcourse" is a series of articles that reviews many of the basic operating principles of digital logic circuits and culminates with a detailed description of the architecture and operation of PIP-2, a simple tutorial microprocessor.

The simplest digital logic elements operate on the basis of the presence or absence of an electrical signal. This two-state situation can be used to represent numbers and implement operations in the two-digit binary number system. We'll learn more about the devices and circuits that perform the functions later. First, let's review the basics of binary and a few other number systems.

If you learn how microprocessors work, you'll understand their role in microwave ovens, CB transceivers, autos and computers.

Number Systems. The ten-digit decimal number system is very easy to learn and use. At least that's what most of us were taught in school. But think about decimal arithmetic for a moment. To add any two decimal numbers, for example, you must first have memorized 100 individual addition rules!

What are these rules? They're numerical relationships like 1+1=2; 4+5=9; 3+7=10; etc. Simple? Yes, almost transparently so, but only because we have already memorized them.

As you can see, the "simple" decimal number system isn't very simple at all. And we haven't even covered the rules required to subtract, multiply and divide decimal numbers. In all, there are literally hundreds of individual rules for performing the various operations of decimal arithmetic.

It took you five or six years to master the rules of decimal arithmetic, but you can master the rules of binary arithmetic in only five or six *minutes*. The binary system has only two digits or *bits*, 0 and 1, so only a few rules are necessary for performing binary arithmetic.

Here, for example, are the rules for binary addition:

0 + 0 = 0 0 + 1 = 1 1 + 0 = 1 1 + 1 = 0, carry 1 or 10 1 + 1 + 1 = 10 + 1 = 11

You can use these five rules to add any two binary numbers. There are equally simple rules for binary subtraction. And since multiplication and division can be accomplished by, respectively, repeated addition and subtraction, the rules for binary arithmetic are far simpler than those for decimal.

You can also use the binary addition rules to count in binary. Start with 0, add 1, and continue adding 1 to consecutive sums. This procedure is called incre-

POPULAR ELECTRONICS

menting, and it allows us to quickly generate the first sixteen binary numbers:

0	100	1000	1100	
1	101	1001	1101	
10	110	1010	1110	
11	111	1011	1111	

Computer specialists frequently refer to binary numbers like these as words or bit patterns since they are often used to represent computer instructions and other nonnumerical functions. Words having eight bits are commonly used; they are called bytes. A word having four bits is a nibble.

Though binary arithmetic is easy to learn, the binary number system has a major drawback from the human perspective. Binary numbers (or words) are often long and cumbersome, difficult to remember, prone to transpositional errors, and difficult to vocalize. For example, a decimal number that uses only a digit or two will require from one to seven bits when expressed in binary. The decimal number 99 is easy to pronounce and remember. Its binary counterpart is an awkward 1100011.

Computer enthusiasts have invented several handy shortcuts and tricks for remembering binary numbers and converting them into their decimal counterparts. These methods are going to become almost second nature to the microprocessor generation, so let's have a look at them.

Converting Binary to Decimal.Converting binary numbers to their deci-

Converting binary numbers to their decimal equivalents is easy once you know how to expand an ordinary decimal number into its component parts. For example, 653 is 600 + 50 + 3.

The position of the digits in a number like 653 determines the power of ten by which the respective digits are multiplied. Thus,

MARCH 1978

 $653 = 6 \times 10^{2} = 600$ $5 \times 10^{1} = 50$ $3 \times 10^{0} = 3$ 653

Binary numbers can be expanded using this same method—and in the process converted into their decimal counterparts. Since the binary system has only two bits, the position of a bit in a binary number determines by which power of *two* the bit is multiplied. Thus,

$$1001 = 1 \times 2^{3} = 1000$$

$$0 \times 2^{2} = 0000$$

$$0 \times 2^{1} = 0000$$

$$1 \times 2^{0} = 0001$$

We can carry this expansion one step further and convert 1001 into its decimal equivalent. Just convert the powers of two into their decimal values and add the products:

$$1001 = 1 \times 8 = 8 \\
 0 \times 4 = 0 \\
 0 \times 2 = 0 \\
 1 \times 1 = 1$$

An even faster way to convert a binary number to its decimal form is to list the ascending powers of two over each bit in the number beginning with the least significant bit. Then add the powers of two over the 1 bits and ignore those over the 0 bits. Thus, to convert 1100110 to decimal:

Converting Decimal Numbers to Binary. A quick way to convert decimal numbers into their binary counterparts is to repeatedly divide the decimal number by two. The remainders of each division, which will always be 0 or 1, become the binary number. Let's convert 102 into binary using this method:

Octal and Hexadecimal Numbers. Often binary numbers are used to represent computer instructions and operations. For example, 01110110 is the binary equivalent of the decimal number 118. 01110110 is also the instruction code selected by Intel to represent the instruction HLT (halt) for its 8080 microprocessor.

Binary numbers are also used to represent memory addresses inside a computer. Thus 01110110 can represent the decimal number 118, the instruction HLT, or the 119th address in a computer memory (the first address being 00000000).


Since binary numbers play such an important role in microprocessors and computers, you'll want to learn about a couple of very handy time and space saving shortcuts called the octal and hexadecimal number systems.

Decimal numbers have ten as their base; therefore the largest decimal digit is 9. Octal numbers have eight as their base, and that means the largest octal digit is 7. Since the binary equivalent of the decimal digit 7 (which is equivalent to the octal digit 7) is 111, it's easy to convert any binary number into its octal counterpart by simply dividing the bits in the number into groups of three and converting each group into its decimal equivalent. Thus, the binary number 01110110 becomes 01 110 110 or 166 in octal.

When listing numbers having different bases, it's customary to indicate each number's base with a subscript. Therefore 166₈ is an octal number. Obviously 166₈ is much easier to remember than 01110110₂. And it's easy to convert 166₈ back to binary by simply writing out the binary equivalent for each digit:

$$1 = 01$$
 $6 = 110$
 $6 = 110$
 $01 110 110$

(continued overleaf)



Digital Watch Breakthrough... ALARM WATCH 12:4530 Beep! LCD ALARM a 6-digit 6 function LCD Alarm Watch! New Price \$54.95!

At last, a constant readout (no buttons to push) precision quartz electronic watch with a built-in 24 hour alarm system

By combining the quartz-accuracy precision of the LCD watch with miniaturized alarm technology, Winthrop-Rogers introduces the first CONTINUOUS DISPLAY ALARM WATCH. A watch that may not be available from other sources for years, can now be yours at a price hundreds of dollars less than you would imagine.

Now consider the incredible convenience of a portable alarm clock handsomely adorning your wrist at all

Never again miss an appointment because you lost track

- Never again miss a plane or a train because you didn't relize how late it had become
- Never again forget to make that all-important phone call. Never worry about forgetting to take important medication
- on time. Never worry about waking up from that catnap, or at a
- hotel if your wake-up call isn't on time ΔIways being aware of when you should be coming or
- going or doing all that your hectic schedule demands vithout devoting your valuable time to trying to rememb it all.



Set to Ring at 7:55 A.M. The MICRO-ALARM has a 24

hour Alarm System, allowing you to set your watch to signal at any minute of the day or night. Once set, you need not be concerned about your next ap phone call. The MICRO-ALARM will remember for you and remind you when you need to

SNOOZE/REMIND CONTROL

For your convenience the MICRO-ALARM will give one short beep prior to its full alarm cycle, allowing you to turn it off without disturbing others. If not deactivated after the first short beep, the alarm will then beep for 15 continuous seconds. Push the deactivate button twice and the alarm is off. However, should you want a further reminder, then push the deactivate button only once and the alarm will go through its cycle again in exactly 5 minutes.

6-DIGIT LCD DISPLAY

MICRO-ALARM has a 6digit readout showing hours, minutes and seconds at a glance. Since the readout is by Liquid Crystal Display (LCD) and not by Light Emitting Diode (LED). no button has to be pushed; the time is continuously displayed! A built in night-light functions at the push of a button for read ing in darkness.



Friday

CALENDAR DISPLAY Just one push of the control button converts the display into a 3-function calendar; displaying the month, date of the month, and day of the week. The remarkable memory built into the module knows each month and the number of days in that month and resets automatically on the first day of the new

12: 3456

12:34 and 56

Seconds

The MICRO-ALARM is extraordinarily accurate. Its module is manufactured by one of the world's foremost manufacturers

of micro-electronics, and is guaranteed accurate to within 15 | To expediate shipping by UPS, please provide street address rather than P.O. Box number.

CIRCLE NO. 54 ON FREE INFORMATION CARD

THINK ABOUT IT!

ven if you have no consistant need for a watch with a built-in electronic alarm, the MICRO-ALARM is a valuable westment for its watch features alone

- It is the most up-to-date fully-function watch available today
- 2. It is accurate to +/- 15 seconds per month, and never has to be wound - put it on, and the time and date are correct even if it has been in a drawer for a month!
- 3. Its elegant styling will compliment any attire and elicit ents from your associates and friends. At this price you cannot find a better buy.
- 5. One day you will have a critical need to be reminded of a vital appointment - and then, having used the alarm function once, you will never again return to any other reminde
- Why buy an ordinary watch when you can own a MICRO-ALARM?

ELEGANT MESH BRACELET

Each MICRO-ALARM comes with a matching, elegant, thir mesh bracelet more handsome and much more practical than those "pull over-snap" type bracelets. This band adjusts com fortably and easily, eliminating cumbersome link adjustments

15 DAY TRIAL

Vear the MICRO-ALARM for 15 days to assure yourself that this is no ordinary watch. If at the end of that time you are dissatisfied for any reason you may return it for a prompt refund, no questions asked.

1 YEAR LIMITED WARRANTY

To order by credit card please phone our 24-hour

800-325-6400 ask for Oper. 54

In Missouri: 800-342-6600 ask for Operator 54 or mail the attached coupon with your payment and the MICRO-ALARM will be on its way to you.

Allow 3-4 Weeks For Delivery

	Winthrop-Rogers Ltd. V5403
1	Box A69, 1135 Greenridge Rd., Buffalo Grove, II 60090
	Please sendMICRO-ALARMS @ \$54.95 each
	plus \$1.99 for shipping and handling.
	Silvertone MICRO-ALARM
	Goldtone MICRO-ALARM
	If I am not completely satisfied I may return it
	for a full refund. Total amount enclosed \$, check or money order. (Illinois residents please

Goldtone MICRO-	
If I am not completely s	atisfied I may return it
for a full refund. Total ar	
check or money order. (
add 5% sales tax.) No C.0	D.D.s please.
Charge: Master Charg	e MCBK# Exp. Bank Amer./Visa
Card #	Exp
Signature	The residence of
Name	A HANT IN BULL
Address	Apt.—
1 32	2:-

(Series continues next month)

Hexadecimal numbers have sixteen as their base. They're commonly used to simplify 8-bit bytes into easily remembered two-character numbers.

The hexadecimal digits are 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, C, D, E, and F. Don't let the letters A-F confuse you. There are more than enough decimal digits for the binary and octal systems, but not enough for all sixteen hexadecimal digits. The letters A-F complete the six digit spaces beyond the ten digits 0-9.

It's easy to convert a binary byte into hexadecimal or simply hex. First, divide the byte into two nibbles. Then assign the hex equivalent to each nibble. 1111, is F₁₆ and 0110₂ is 6₁₆. Therefore, 11110110₂ is F6₁₆.

To convert a hex number to binary, just assign the binary equivalent to each hex digit. Thus F616 is 1111, and 01102 or 11110110₂.

Incidentally, though it's correct to identify a hex number with a subscript 16, it's not necessary to tag on the subscript if the number includes one of the six digits borrowed from the alphabet. Everyone seeing it will know it's hex. Also, some computer companies identify hex numbers with the \$ sign. So F6E9 is the same as \$F6E9.

Most of today's microprocessors use 8-bit address and instruction words, so you'll often see programs given in octal or hexadecimal. While it takes time to become used to these new number systems, especially hex, you'll find them very handy as you become more involved with microprocessors. The conversion table given below will help you

			Hexa-
Decimal	Binary	Octal	decimal
0	0	0	0
1	1	1	INCOME SHAPE
2	10	2	2
3	11	3	3
4	100	4	4
5	101	5	5
6	110	6	6
7	111	7	7
8	1000	10	8
9	1001	11	9
10	1010	12	Α
11	1011	13	В
12	1100	14	C
13	1101	15	D
14	1110	16	E
15	1111	17	F

become more familiar with both octal and hexadecimal numbers.

POPULAR ELECTRONICS


LOW-COST EPROM POGRAMMER BY DAN VINCENT

PART 2 Power supply, construction and checkout.

Power Supply. The supply (Fig. 5) delivers approximately +75 volts to a transistor switch/current limiter consisting of Q1, Q2, Q3, R1, R2 and R3. Transistors Q4 and Q5, in conjunction with

D5, R6, R7, and R8 regulate the +75volt output down to +47 volts. Diode D6 and resistor R5 provide the VRR bias supply. Resistor R9 insures a minimum load on the regulator and provides a path for the D6 zener current, Capacitor C2 and resistor R20 prevent the highgain circuit of Q5 from oscillating.

Construction. Although the Program-



Popular Electronics | Popular Electronics

(more than 33% OFF subscription price) The regular price for

12 issues of POPULAR ELECTRONICS is \$12.00 by subscription

YOU PAY ONLY \$7.97 ☐ I prefer 2 years ☐ I prefer 3 years

(24 Issues) for \$14.97 (36 Issues) for \$20.97

Mr. Ms. (please print full name	9) 4S3
Address	Apt
City	
State	Zip
CHECK ONE: Payment enclosed (please mail in an envelope).	Bill me later.
☐ 4999 Send me 1 year of Stereo F	

other countries outside the U.S. and possessions. Cash orders only, payable in U.S. currency. Prompt delivery: your first issue will be shipped 30 to 60 days from receipt of your order. Satisfaction guaranteed or a prompt refund or the remaining issues.

one year of

(more than 33% OFF subscription price)

The regular price for 12 issues of POPULAR ELECTRONICS is \$12.00 by subscription

YOU PAY ONLY \$7.97 ☐ I prefer 2 years ☐ I prefer 3 years (24 Issues) for \$14.97

	(please print full name)			4836
Address			Apt	
City				
itate		Zip_		
CHECK ONE:	Payment enclosed (please mail in an envelope).	_	ne later.	

☐ 4999 Send me 1 year of Stereo Review for \$4.99

Additional postage per year: add \$3 for Canada, \$5 for all other countries outside the U.S. and possessions. Cash orders only, payable in U.S. currency. Prompt delivery: your first issue will be shipped 30 to 60 days from receipt of your order. Satisfaction guaranteed or a prompt refund on the remaining issues.

yton OH 45459: rd at \$8.95; basic mer kit (TTL opand all compoand connector, at mer that also inpply winding at iding pc board and alone Programmer upply, zero-inserat \$79.95; commmer, assembled I prices postpaid. Visa, or Master sidents, please add

available from